Eficiency of biodinamic soil managment aproach on ruined plot (land in Krška vas)




Dumpling area during construction works in 2016



Dumpling area in 2014, number of the plot: 4338/1



June 2017






Photos on this page are from the Expertise about restoration of arable land on the teritory of a temporary dumpling area in Krška vas.

Author: University of Ljubljana, Biotechnical Faculty, Agronomy Department, Chair of Soil Science and Environmental protection

Number of the GERK - 987836, k.o. Krška vas

Ortophoto from April 2018 (Land parcel identification system-LPIS, web viewer http://rkg.gov.si/GERK/WebViewer)



September 2018, mulching Biodiversity mixture,

which was over 2 m high

(<u>Biodiversitetsgemenge.</u> <u>https://www.camena-samen.de/liste_2020.pdf</u> 23 varieties of plants: look at description in catalogue page 58)

Link for the video mulching in September 2018 (25 sec.)





Ripping + sowing and spraying biodynamic preparations in Sept. 2018

(the same procedure also in April 2018, Maj 2019 and in September 2019)

Link for video <u>ripping</u> (video 20 sec.)

Link for video spraying BD preparations (video 20 sec.)



Ripping with subsoiler 30 cm deep (the shape of tines is very important), speed max 5 km/hour



As this plot is only 1,4 hectare big and 12 kilometres away from our farm, there was no need to use a tractor, because spraying by hand takes 20 minutes work.

28th Mai 2019, mulching winter mixture, which was 2 m high (<u>Wintergrün, Camena Samen</u>, 7 varieties of plants: look at description in catalogue page 59)

Link for the video (12 sec): mulching in Mai 2019







Mulching winter mixture

April 2020, grass clover mixture, sowed in September 2019



June 2020: 1.cut



1. Cut: nineteen (19) bales of hay are from this 1.4-hectare big plot in Krška vas

September 2020: mulching 3.cut

Link for the video mulching the grass leguminous mixture (2 min)



January 2021



